# RECEIVED CENTRAL FAX CENTER

FILED VIA FACSIMILE

MAY 0 8 2006

PATENT APPLICATION
Docket No: 16274.23a

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re application of |                    | )           |
|----------------------|--------------------|-------------|
|                      | Zhan Gao et al.    | )           |
| Scrial No.:          | 10/706,117         | ) Art Unit  |
| Filed:               | November 12, 2003  | ) 2874<br>) |
| Patent No.:          | 6,999,645          | )           |
| Issued:              | February 14, 2006  | )           |
| For:                 | WAVEGUIDE CROSSING | )           |
| Customer No.:        | 022913             | )           |

## REVOCATION AND SUBSTITUTE POWER OF AITORNEY

Commissioner for Palents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

I, the undersigned, Stephen K. Workman, state that I am the Senior Vice President of Finance and the CFO of Finisar Corporation and that I am authorized to execute this Revocation and Substitute Power of Attorney on behalf of Finisar Corporation.

I further state that Finisar Corporation is the assignee of the entire interest of the above-identified patent as shown by the assignment recorded in the U.S. Patent and Trademark Office at the Reel and Frame identified in Exhibit A and assignments identified in Exhibit B. The assignee, Finisar Corporation, hereby revokes all previous powers of attorney in the above-identified patent, and now hereby appoints all attorneys under:

### **CUSTOMER NUMBER: 022913**

of WORKMAN NYDEGGER as attorney with full power of substitution and revocation, to prosecute said application, to make alterations and amendments therein, to receive the Letters Patent, and to transact all business in the Patent and Trademark Office connected therewith.

All correspondence and telephonic communication should be directed to:

## **ERIC L. MASCHOFF**

at the address associated with the above-identified customer number.

This Revocation and Substitute Power of Attorney and Statement under 37 C.F.R. 3.73(b)(1) is effective for the above-identified patent, and shall be filed at the U.S. Patent & Trademark Office.

Signed this 16 day of MAVH, 2006.

Stephen'K. Workman

Sr. Vice President Finance and CFO

Finisar Corporation 1389 Moffett Park Drive Sunnyvale, CA 94089

Finisa Legal

# **EXHIBIT A**

# EXHIBIT A

A chain of title of U.S. Patent No. 6,999,645, issued February 14, 2006, is shown in an assignment from the inventor(s) to Infineon Technologies AG recorded at Reel 015375, Frame 0446 and an assignment from Infineon Technologies AG to Finisar Corporation recorded at Reel 017425, Frame 0874.

# **EXHIBIT B**

|  |                          | Previous Reference               |                          | FILING               |           | ISSUE    |                             |
|--|--------------------------|----------------------------------|--------------------------|----------------------|-----------|----------|-----------------------------|
| Title  | FILE #                   | Number                           | APP.#                    | DATE                 | PATENT#   | DATE     | Assignee                    |
| Optoelectronic Transceivers for a Bidirectional Optical Signal Transmission  | 16274.1                  | 2003P54453 US                    | 10/769,287               | 01/30/04             |           |          | Infineon<br>Technologies AG |
|  |                          | - 1                              |                          |                      |           |          |                             |
| Arrangement for Connecting the Terminal Contacts of an Electronic Component to A Printed Circuit Board and Conductor Support for Such an Arrangement | 16274.2a<br>16274.2a.1   | 2003P53101 US<br>2003P53101 US01 | 60/512,028<br>10/773,964 | 10/17/03             | 6,976,854 | 12/20/05 | Infraeon<br>Technologies AG |
| Amplifier Circuit with Protective Device   | 16274.3a 1               | 2000712948 US                    | 09/950,438               | 09/10/01             | 6,593,814 | 07/15/03 | Infineon<br>Technologies AG |
| Planar-Optical Apparatus for Setting the<br>Chromatic Dispersion in an Optical System  | 16274.4a<br>16274.4a.1   | 2003P52728 US<br>2003P52728 US01 | 60/513,762<br>10/850,338 | 10/22/03<br>05/19/04 |           |          | Infineon<br>Technologies AG |
| Digital Optical Receiving Module, and a Method for Monitoring the Signal Quality of a Transmitted, Modulated Optical Signal                          | 16274.5a<br>16274.5a.1   | 2003P53776 US<br>2003P53776 US01 | 60/523,378<br>10/817,725 | 11/18/03<br>04/02/04 |           |          | Infineon<br>Technologies AG |
| Arrangement for Connecting the Terminal Contacts of an Optoelectronic Component to a Printed Circuit Board   | 16274.6a<br>15274.6a.1   | 2003P52725 US<br>2003P52725 US01 | 60/505,568<br>:0/817,583 | 09/23/03<br>04/02/04 |           |          | Infineon<br>Technologies AG |
| Arrangement for Multiplexing and/or Demultiplexing Optical Signals Having A Plurality of Wavelengths   | 16274 9a.1               | 2002P50485 US                    | 10/799,437               | 03/12/04             |           |          | Infineon<br>Technologies AG |
| Drive Device for a Light-Emitting Component  | 16274.12a<br>16274.12a.1 | 2003P52635 US<br>2003P52635 US01 | 60/508,715<br>10/765,697 | 10/02/03             | 6,956,408 | 10/18/05 | Infineon<br>Technologies AG |
| Receiver Circuit Having an Optical Reception<br>Device   | 16274.13a<br>16274.13a.1 | 2004P50185 US<br>2004P50185 US01 | 60/540,870<br>10/821,681 | 01/30/04<br>04/09/04 |           |          | Infineon<br>Technologies AG |
| Arrangement for the Electrical Connection of an Optoelectronic Component to an Electrical Component  | 16274,148                | 2004P50183 US                    | 10/789,429               | 02/27/04             | 6,950,314 | 09/27/05 | Infineon<br>Technologies AG |
| Transmitter and/or Receiver Arrangement For 16274,17a.1 Optical Signal Transmission  | 16274.17a.1              | 2001P11091WOUS                   | 10/489,683               | 09/14/01             |           |          | Infineon<br>Technologies AG |

#### Technologies AG Assignee Infineon Infineon Infineon Infineon Infinean Infineon Infineon Infineon Infineon Infineon Infineon ISSUE 08/09/05 11/29/05 12/30/03 DATE 01/27/04 05/06/03 06/03/03 10/01/02 11/23/04 11/23/04 PATENT# 6,969,265 6,926,551 6,682,231 6,457,875 6,571,439 6,822,872 6,558,196 6,574,390 6,823,095 12/14/00 01/11/00 05/18/00 07/05/01 09/27/00 01/16/01 FILING 11/12/03 08/09/01 09/18/00 DATE 01/15/02 02/15/01 01/09/03 60/175,51 09/672,571 09/738,737 09/699,493 09/574,647 10/706,117 09/927,552 10/791,539 09/761,596 10/339,244 09/509,436 09/784,767 APP.# Previous Reference 2000P07411 US 2000P07411 US01 2000P20332 US02 1997P04160 US01 2000P09069 US 2000P07629 US 2000P12503 US 2002P15199 US 2000P20323 US 2000-20369 US 20C0P23096 US 2001P20155 US Number FILE# 16274.19a.1 627: 375.1 16274.83b.1 16274.19a nlegraled Waveguide Arrangement, Process 16274.22a Optical Waveguide Crossing for use in Planar 16274.23a 6274.36b 6274.42a 16274.38b Configuration To Multiplex and/or Demultiplex 16274,40a 16274.20 16274.21 Pluggable Transceiver Latching Mechanism Optical Subassembly and Related Methods Arrangement, and Waveguide Components Housing for Receiving a Component Which Shannels and Method for the Production of Electrically Connecting Integrated Circuits the Signals Of A Plurality of Optical Data or Aligning an Optical Fiber with a Light for Producing an Integrated Wavegulde Housing-Shaped Shielding Plate for the Shielding Plate for Pluggable Electrical can Be Connected to the Housing in a Shielding of an Electrical Component Electro-Optical Arrangement Optoelectronic Device Pluggable Manner and Transducers he Configuration **Emitting Device** Components ight Circuits

73

#### Technologies AG Assignee Infineon Infinecn Infineon Infineon Infineon Infineon nfineon Infineon Infineon Infineon Infineon Infineon 03/25/03 04/01/03 06/21/05 04/22/03 07/08/03 ISSUE 07/08/03 11/19/02 06/25/02 02/08/05 11/04/03 04/01/03 DATE PATENT# 6,591,034 6,536,959 6,540,413 6,909,612 6,590,457 6,550,127 6,483,960 6,409,397 6,642,790 6,540,555 6,853,657 10/06/00 10/06/00 03/20/00 09/20/01 12/13/00 09/16/02 10/02/00 10/27/00 DATE 06/28/01 02/24/03 02/10/03 04/15/02 09/527,900 09/957,391 09/735,099 10/244,812 09/684,243 09/684,249 09/894,943 10/372,992 10/364,003 10/122,628 195,77,561 09/699,322 APP.# Previous Reference 1998P01498 US01 1999P04176 US01 2000P04056 US01 16274.1105.1.1 2000P13510 US01 2000P12946 US01 2000P14823 USD1 2000P12684 US01 1999P01472 US 1999P04227 US 1999P05018 US 2000P04153 US 1999P04716 US Number 6274,1035,1 16274,109b.1 16274.108b.1 FILE# 16274.975.1 16274.845.1 16274,101b 16274.106a Surface-Mounted, Fiber-Optic Transmitting or 16274.107a 16274.111a 16274.94d 16274.98b Optical Fiber to an Optoelectronic Component Device for Holding a Part and Application of Optomodule and Connection Configuration rrangement for Spatial Separation and/or Receptacle Which can be Adjusted During Coupling Configuration for Connecting an Fiber-Optic Transmitting Component With Receiving Component Having a Deflection Phase Detector and Clock Regeneration Optoelectronic Assembly for Multiplexing Output Power of a Semiconductor Laser Aethod and Device for Determining the and/or Demultip!exing Optical Signals Sonvergence of Optical Wavelength Differential Complementary Amplifier Precisely Settable Input Coupling Shielding Plate, in Particular for Optoelectronic Transceivers Connection System he Device hannels Sevice Diode

MAY-08-06 MON 12:13 PM

WORKMAN NYDEGGER

#### Technologies AG **Technologies AG** Technologies AG **Technologies AG** Technologies AG Assignee Infineon 02/15/05 07/29/03 03/25/03 09/02/03 02/22/05 08/24/04 06/03/03 05/24/05 SSUE 01/06/04 05/27/03 DATE PATENT# 6,539,145 5.856,769 6,599,033 6,612,858 6,857,791 6,574,413 6,568,862 6,897,993 6,781,727 6,672,901 10/24/00 10/30/00 10/30/00 11/03/00 FILING 12/18/00 12/18/01 07/25/02 01/16/01 10/30/01 DATE 01/16/01 05/07/01 09/699.610 09/595,511 09/740,648 10/023,139 09/699,837 709,207/60 39/761,805 10/012,814 10/202,919 09/850,583 09/761,597 APP.# Previous Reference 2001P00195 US01 2000P16344 US 2000P16737 US 2000P;8178 US 2000P20070 US 2000P20079 US 2030P20272 US 2000P20357 US 2000P20404 US 2000P20494 US 2000P23635 US Number FILE # 6274.1245.1 6274.112b Module for Mutiplexing and/or Demultiplexing 16274 1155 16274.119a 16274 1165 16274.118b 16274.120a 16274.121a 6274.122a 16274:13 16274.123a Electroabsorption Modulator, Modulator Laser Protector and Transmitting/Receiving Module Component and Method of Mounting Such a Fiber to an Optical Transmitting or Receiving Optical Device Assembly with an Anti-Kink Fransmission or Reception Module at High Housing on a Printed Circuit Board Arrangement and Method for the Channel-Coupling Device for Connecting an Optical Unit and Transmitting or Receiving Device Device for Sezing A coupling Unit for an Dependent Attenuation of the levels of a Arrangement for the Detection of Optical Raceiving Device Configuration for Operating an Optical Housing for Plug-Connected Electrical Component That is Insertable Into A Device and Method for Producing an Optoelectronic Component Against Device for Unlocking an Efectronic Piurality of Optical Data Charnels Signals on a Planar Optical Circuit Data Rates of Up to 10 Gbit/S Optical Transceiver Mocule Electroabsorption Modulator Optical Signars Contaminants

#### Technologies AG Technologies AG Technologies AG Technologies AG Technologies AG rechnologies AG Technologies AG **Technologies AG** Technologies AG Technologies AG Technalogies AG Technologies AG Assignee Infineon 08/11/05 09/07/04 04/26/05 09/27/05 ISSUE 02/08/05 08/10/04 DATE 11/11/03 12/09/03 10/26/04 PATENT# 6,954,565 6,788,850 6,885,826 6,853,230 6,647,038 6,950,482 6,773,169 6,660,933 5,810,174 04/30/02 01/25/02 05/31/02 11/02/01 09/05/01 DATE 11/16/01 09/03/02 10/03/01 10/15/01 10/01/02 09/16/02 11/21/01 10/135,678 10/057,105 10/159,154 10/001,173 09/970,441 10/485,755 09/392,281 10/492,463 10/487,763 10/233,695 10/244,806 10/262,146 APP.# Previous Reference 2001P11082WOUS02 2001P03592 US02 2001P08057WOUS 2001P11043WOUS 2001P09149 US01 2001P04989 US 2001P04998 US 2001P05025 US 2001P05039 US 2001P11790 US Number 2001P14677 US 2001P17059 US 6274,131b.1 FILE# 16274.127a 16274.126a 16274.130a 16274.128a Method and Apparatus for Producing a Clock 15274.129a 6274 132a 16274.133a Method for Coupling A Surface-Oriented Optol 16274.135a 16274 137c 6274.135a 16274.138a Coupling Configuration for Optically Coupling Generating a Digital Optical Signal Sequence Electronic Element with an Optical Fiber and Demultiplexing the Signals of at Least Two Phase Detector Circuit for a Phase Control an Optical Conductor to an Opto-Receiver Optical Filter and Optical Filtering Method Method and Device for Adjusting a Laser Opto-Electronic Element for Carrying out Integrated Circuit for Controlling a Laser Shielding Element for Electromagnetic aser Diode Assembly and Device for Configuration for Multiplexing and/or Optical Transmitter and Method for Shielding of an Aperture Opening Optical Wavelength Channels Optoelectronic Laser Module Operating a Laser Diode Such a Method **Output Signal** 000

**}** ,. .

#### **Technologies AG** Technologies AG Assignee Infineon Infineon Infineon Infineon Infineon Infineon Infineon Infineon Infinean Infineon Infineon Infineon Infineon Infineon 07/12/05 ISSUE 05/24/05 05/31/05 12/13/05 08/24/04 DATE 09/13/05 PATENT# 5,917,055 6,897,485 6,901,091 6,937,078 6,975,795 6,781,057 6,943,505 12/23/02 01/09/03 08/15/03 06/17/03 07/18/03 FILING 12/27/02 11/29/02 10/16/03 11/25/03 06/05/03 DATE 10/01/03 11/12/03 03/14/03 04/25/03 03/26/04 0/462,956 10/339,232 10/328,827 10/642,544 10/686,982 10/330,934 10/307,039 10/676,589 10/622,937 10/706,492 10/722,311 10/389,610 :0,454,918 10/811,102 10/424,021 APP. # Previous Reference 2002P07252 US 2001P20983 US 2001P20391 US 2002PG7333 US 2002P10715 US 2002P12069 US 2002P12098 US 2002P12202 US 2002P:3403 US 2002P14856 US 2002P15214 US 2002P50475 US 2003P50312 US 2003P50382 US 2003P51771 US Number FILE # 6274.139a 6274.140a 16274.148a 16274.149a 16274 :516 16274 150a Efectionic Drive Circuit for Directly Modulated 16274.152a 15274.153a 16274.154a 16274.157a 6274.155a 16274,155a 6274.158a 6274.159a 6274,160 Systems and Method for Stabilizing an Output Circuit Configuration for Regenerating Clock Refractive Index Grating and Mode Coupler Component and a Method for Driving a Lightransmitting and/or Receiving Module to an Optoelectronic Component and Method for Producing an Optoelectronic Component Device for Optical and/or Electrical Data Laser Moduie for Optical Transmission Electrical Arrangement and Method for Producing and Electrical Arrangement Coupling Unit for Coupling an Optical Having A Refractive Index Grating Driving Device for a Light-Emitting Transmission and/or Processing Method for Producing an Optical Wavelength of a Laser Module Semiconductor Lasers Planar Opticat Circust Electro-optical Module Planar Optical Circuit Emitting Component ransceiver Device Arrangement Optical Fiber Naveguide

P. 14

#### Technologies AG **Technologies AG Technologies AG** Technologies AG Assignee Infineon 04/26/05 ISSUE DATE 06/26/05 PATENT# 6,885,443 6,922,344 08/27/03 FILING 04/26/04 07/03/03 08/15/03 09/05/03 DATE 08/11/03 08/15/03 12/19/03 01/29/04 01/13/04 11/21/03 03/25/04 10/638,600 10/642,545 10/613,368 0/649,409 10/642,543 10/741,745 376,7376 10/832,197 10/656,601 10/756,560 10/718,753 10/808,944 APP. # Previous Reference 2003P51852 US 2003P51878 US 2003P51881 US 2003P52422 US 2003P52462 US 2003P52466 US 2003P52776 US 2003P53857 US Number 2003P54046 US 2003P54047 US 2003P54048 US 2003P54088 US FILE# 6274.161a 6274.162 16274.163 16274.164 16274,165 16274.166 16274.167 Optoelectronic component with an Adjustable (16274, 168 6274.170 6274.169 ransceiver with Controller for Authentication | 16274.171 16274.172 Drive Device for a Light-Emitting Component Device for Connecting the Terminal Pins of a Receiving Device To A Printed Circuit Board Package For An Optical Transmitting and/or Connecting a Plug-In electronic Module to a Adjustable Dynamic Range Optimization for emperature Compensation for Fiber Optic Franscelvers Using Optimized Convergence ntegrated Circuit for an Electronic Module Optical Property and Method for Producing Plug-In Electronic Module and method for and Conductor Arrangement For Such A Optical Sending and/or Receiving Device Analog to Digital Resolution for Intelligent Sradient Transmission Line for Optimized Controlling Access to a Memory In an mplementation of Gradual Impedance Optoelectronic Transmission and/or Control Apparatus and Method For Fiber Optic Receivers and Method Reception Arrangement the Layer Structure Holding Structure Receiver Circuit Matching Algorithms

| Title   | FILE#          | Previous Reference<br>Number | APP. #     | FILING   | PATENT# | ISSUE | Accident                    |
|---|----------------|------------------------------|------------|----------|---------|-------|-----------------------------|
| Mode Indicator for Transceiver Module   | 16274 173      | 2003064379   10              | 100000     | 3000     | # 1117  | 2415  | Assignee                    |
|   | 2              | 2021 STORE 003               | 10/730,735 | 01/15/04 |         |       | Infineon                    |
|   |                |                              | •          |          |         |       | Technologies AG             |
|   |                |                              |            |          |         |       |                             |
| Undi Contiguration Transcelver Housing  | 16274.174      | 2003P54373 US                | 10/758,734 | 01/16/04 |         |       | Infineon<br>Technologies AG |
| Heatsinking of Optical Subassembly and  | 16274.175      | 2003P54490 US                | 10/761,106 | 01/20/04 |         |       | Infineon                    |
| Menioo of Assembing   | -              |                              |            |          | -       |       | Technologies AG             |
| Actuator for small Form Factor Pluggable Transceiver                                      | 16274.176      | 2003P54492 US                | 10/759,890 | 01/16/04 |         |       | Infineon                    |
| Pluggable Transceiver with Cover Resilient Member   | 16274.177      | 2003P54495 US                | 10/819,633 | 04/07/04 |         |       | Infineon Technologies AG    |
| Circuit and Method for Correction of the Duty<br>Cycle Value of a Digital Data Signal     | 16274.178      | 2003P54692 US                | 10/767,971 | 01/29/04 |         |       | Infineon                    |
|   |                |                              |            |          |         |       | Technologies AG             |
| Optical System Laser Driver with Built In Output Inductor for Improved Frequency Response | 16274.179<br>" | 2004P50028 US                | 10/808,952 | 05/25/04 |         |       | Infineon<br>Technologies AG |
| Optoelectronic Arrangement  | 16274.180      | 2004P50052 US                | 10/789,547 | 02/27/04 |         |       | Infineon<br>Technologies AG |
| Change-Over of Receiver Circuits (switch for receiver)                                    | 16274.181      | 2004P50057 US                | 10/799,785 | 03/12/04 |         |       | Infineon<br>Technologies AG |
| Opto-Electronic Modu/e and Method for<br>Producing an Optoelectronic Modu.e               | 16274.182      | 2004P51111 ÜS                | 10/841,785 | 05/07/04 |         |       | Infineon<br>Technologies AG |
| Optical Transceiver with Capacitive Coupled Signal Ground With Chassis Ground             | 16274.189      | 2004P54328 US                | :1/022,301 | 12/22/04 |         |       | Infineon<br>Technologies AG |
| Planar Decoupling in Optical Subassembly  | 16274.190      | 2004P54329 US                | 11/021,475 | 12/22/04 |         |       | Infineon<br>Technologies AG |

# Technologies AG Technologies AG Technologies AG Technologies AG Assignee Infineon Infineon Infineon Infineon 08/21/01 ISSUE DATE 02/15/05 PATENT# 6,854,997 446769 11/03/00 03/03/00 FILING 11/22/04 11/19/04 DATE 10/994,964 29/119,775 10/613,350 10,993,251 APP. # Previous Reference 2000PZ0070 US01 2004P54330 US 1999M04152 US 2004P54337 US Number 16274.116b.1 FILE# 16274.192 16274.191 16274.96a Optoelectronic Transceiver with two PCBS Component That is Insertable Into A Device for Unlocking an Electronic Title Receiving Device Electronic Circuit Process Plug

**Exhibit B** 

\* 73 -